

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(stamp\$4 with (pre near2 manufactur \$4) with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 15:14
L2	6	(stamp\$4 same (pre near2 manufactur \$4) same information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 15:15
S1	1	10/534472	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:42
S2	13	10/523426 10/534472 10/561855 10/580500 10/597182 10/599862 10/599991 10/599992 11/568418 11/573786 11/573946 11/576539 10/598876 11/994528 11/994529 12/066679	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:57

S3	14	09/275364 10/523426 10/534472 10/561855 10/580500 10/597182 10/598876 10/599862 10/599991 10/599992 11/568042 11/568418 11/573786 11/573946 11/576539 11/994528 11/994529 12/066679	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:57
S4	14	S2 S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:57
S5	432	MAMMOS DWDD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:58
S6	3	S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:58
S7	664	domain near2 expansion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:58
S8	3	S7 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 10:58

S9	1	10/535117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 11:01
S10	1	10/538218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 11:02
S11	2	("6381208").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 11:11
S12	0	EP near2 "0545713"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 12:09
S13	4	EP near2 "545713"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/10 12:09
S16	31	(transparent near2 layer) same (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 11:50
S17	0	wobble with (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 13:02
S18	85	groove with (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 13:02

S19	61236	"369"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 13:02
S20	5	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/12 13:02
S21	1	wobble with pre near2 manufactur\$4 near2 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 11:45
S22	13	wobble near10 (manufactur\$4 near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 11:47
S23	34034	wobble	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 11:47
S24	61271	"369"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 11:48
S25	4803	S24 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 11:48
S26	74	pre near2 manufactur\$4 near2 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 11:48

S27	4	S25 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/13 11:48
S28	3	(US-20020018438- \$).did. or (US- 6381208-\$).did. or (EP-545713-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2009/03/20 17:06
S29	16	10/523426 10/534472 10/561855 10/580500 10/597182 10/599862 10/599991 10/599992 11/568418 11/573786 11/573946 11/576539 10/598876 11/994528 11/994529 12/066679	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S30	435	MAMMOS DWDD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S31	677	domain near2 expansion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S33	177	(transparent near2 layer) same (thickness near2 variation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S38	80	pre near2 manufactur\$4 near2 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07

S39	1	10/534472	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S40	16	10/523426 10/534472 10/561855 10/580500 10/597182 10/599862 10/599991 10/599992 11/568418 11/573786 11/573946 11/576539 10/598876 11/994528 11/994529 12/066679	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S41	17	09/275364 10/523426 10/534472 10/561855 10/580500 10/597182 10/598876 10/599862 10/599991 10/599992 11/568042 11/568418 11/573786 11/573946 11/576539 11/994528 11/994529 12/066679	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S42	17	S29 S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S43	435	MAMMOS DWDD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07

S44	4	S42 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S45	677	domain near2 expansion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S46	3	S31 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S47	1	10/535117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S48	1	10/538218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S49	2	("6381208").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S50	0	EP near2 "0545713"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S51	4	EP near2 "545713"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07

S52	34	(transparent near2 layer) same (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S53	0	wobble with (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S54	88	groove with (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S55	63102	"369"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S56	5	S54 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S57	1	wobble with pre near2 manufactur\$4 near2 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S58	13	wobble near10 (manufactur\$4 near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S59	34765	wobble	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07



S60	63102	"369"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S61	4985	S36 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S62	80	pre near2 manufactur\$4 near2 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S63	4	S37 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 17:07
S64	37	(thickness with (light near2 transmitt \$4 near2 layer)) same (speed velocit \$2) same (formula formulat\$4 equation specification method)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:31
S65	34	(transparent near2 layer) same (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:38
S66	34	S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:38
S67	864933	(speed velocit\$2) same (formula formulat\$4 equation specification method)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:38

S68	1	S65 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:39
S69	0	(thickness with profile) same (rotat \$4 with (speed velocit\$3 accelerat \$4)) same (spin near2 coat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:43
S70	20	(thickness with profile) same (rotat \$4 with (speed velocit\$3 accelerat \$4)) same (formula \$4 equation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:43
S71	525	lacquer near2 formulation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:44
S72	623647	(rotat\$4 rotational) near3 (speed velocity velocit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:45
S73	1	S71 same S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:45
S74	52	(spin near3 (coat coating)) same (thickness near3 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 17:46
S75	2	((thickness with profile) same (rotat \$4 with (speed velocit\$3 accelerat \$4)) same (formula \$4 equation)) and stamp\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 12:08

S76	170	((thickness with profile) and (rotat\$4 with (speed velocit\$3 accelerat\$4)) and (formula\$4 equation)) and stamp\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 12:14
S77	67127	"369"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 12:15
S78	40	S76 and S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 12:15
S80	2	((thickness with profile) same (rotat\$4 with (speed velocit\$3 accelerat\$4)) same formula\$4) and stamp\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 12:19
S81	29	((thickness) same (rotat\$4 with (speed velocit\$3 accelerat\$4)) same formula\$4) and stamp\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 12:36
S82	13	stamp\$4 with (manufactur\$4 near2 information) with thickness	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 13:46
S83	374	stamp\$4 with (manufactur\$4 near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 13:47
S84	22	(stamp\$4 with (manufactur\$4 near2 information)) same thickness	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 13:48

S85	1	(stamp\$4 with (manufactur\$4 near2 information)) and (thickness near2 profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 13:49
S86	26	(stamp\$4 with (thickness near2 profile))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 13:49

1/ 27/ 2010 3:36:01 PM

H:\ EAST Searchs\ 10538218.wsp